| | Indelval - USGBC - LEED ® Credits | | | | | | | | | | | | | |
|--------------------|--------------------------------------|-----------------------|--------------------|----------------|------------------|---------------|---------------------------------------|--------------------|-------------------|------------------------------|--------------------|--------------------|--------------|--|
| | | Materials & Resources | | | | | | | | Indoor Environmental Quality | | | | |
| | | | MR Credit 2 | MR Credit 3.1 | Recycled content | | MR Credit 4 | MR Credit 5 | MR Credit 6 | IEQ Credit 4.1 | IEQ Credit 4.3 | | | |
| | | | | | • | | | | | Low emitting | Low emitting | | | |
| | | | Construction waste | | | | Recycled content contribution (sum of | Regional materials | Rapidly renewable | materials | materials flooring | California Section | Floorscore ® | |
| Art. | Product | Building reuse | managment | Material reuse | pre-consumer | post-consumer | post-consumer + 1/2 pre-consumer) | (1) | materials | adhesives | system | 01350 | certified | |
| Sheet system | | | | | | | , | | | | | | | |
| | Chronos plus 2,0 mm - hg | ✓ | ✓ | ✓ | | | | ✓ | 10% | ✓ | ✓ | ✓ | ✓ | |
| 2212-35/36/37 | Chronos plus 3,0 mm - hg | / | / | √ | | | | / | 10% | ✓ | ✓ | / | √ | |
| 2212-28/29/30 | Chronos plus 3,0 mm - db | / | / | / | 12% | 8% | 14% | / | 10% | ✓ | ✓ | ✓ | ✓ | |
| 2112-01/02/03 | Chronos tx 2,0 mm - hg | ✓ | / | ✓ | | | | 1 | 10% | ✓ | √ | / | √ | |
| 2112-35/36/37 | Chronos tx 3,0 mm - hg | ✓ | / | ✓ | | | | ✓ | 10% | ✓ | ✓ | ✓ | ✓ | |
| 2112-28/29/30 | Chronos tx 3,0 mm - db | √ | / | > | 12% | 8% | 14% | ✓ | 10% | > | 1 | ✓ | ✓ | |
| | Geo plus 2,0 mm - hg | ✓ | ✓ | ✓ | | | | ✓ | 10% | ✓ | ✓ | ✓ | ✓ | |
| | Geo plus 3,0 mm - hg | ✓ | / | ✓ | | | | / | 10% | ✓ | ✓ | / | ✓ | |
| 2215-28/29/30 | Geo plus 3,0 mm - db | 1 | 1 | ✓ | 12% | 8% | 14% | 1 | 10% | ✓ | 1 | ✓ | ✓ | |
| 2115-01/02/03 | Geo tx 2,0 mm - hg | ✓ | 1 | ✓ | | | | 1 | 10% | ✓ | ✓ | ✓ | ✓ | |
| 2115-35/36/37 | Geo tx 3,0 mm - hg | 1 | 1 | ✓ | | | | ✓ | 10% | 1 | ✓ | ✓ | ✓ | |
| 2115-28/29/30 | Geo tx 3,0 mm - db | ✓ | 1 | ✓ | 12% | 8% | 14% | 1 | 10% | ✓ | ✓ | ✓ | ✓ | |
| 2214-01/02/03 | Ecoval plus 2,0 mm - hg | 1 | 1 | ✓ | | | | ✓ | 10% | ✓ | ✓ | ✓ | ✓ | |
| 2114-01/02/03 | Ecoval tx 2,0 mm - hg | ✓ | 1 | ✓ | | | | 1 | 10% | ✓ | 1 | ✓ | ✓ | |
| 2220-01/02/04 | Indelcol plus 2,0 mm - hg | ✓. | √ | ✓. | 100/ | | | √ | 10% | √ | ✓ | ✓. | √ | |
| 2220-28/29/30 | Indelcol plus 3,0 mm - db | ✓ | ✓ | ✓ | 12% | 8% | 14% | ✓ | 10% | 1 | 1 | ✓ | ✓ | |
| Tile system | | | , | | | | | | 100/ | | | | | |
| 1715-53 | Geo hm - hg | <i>\</i> | √ | <i>/</i> | | | | <i>\</i> | 10% | √ | <i>\</i> | √ | √ | |
| 1722-53 | Viva hm - hg | <i>\</i> | / | <i>,</i> | | | | / | 10% | √ | / | √ | √ | |
| 1021-35 1021-28 | Cerama 3,0 mm - hg | √ ./ | / | <i>\</i> | 00/ | 400/ | 4.40/ | <i>\</i> | 10% | 1 | <i>\</i> | √ ./ | 1 | |
| 1321-41 | Cerama 3,0 mm - db | <i>J</i> | / | / | 8% | 10% | 14% | / | 10% 10% | 1 | / | <i>\</i> | 1 | |
| 1321-41 | Deco 3,2 mm - hg Deco 4.0 mm - db | | / | | 00/ | 10% | 4.40/ | / | 10% | • | | <i>y</i> | | |
| 1321-39 | Clasica 3,0 mm - hg | √ | / | <i>\</i> | 8% | 10% | 14% | / | 10% | <i>\</i> | <i>J</i> | / | / | |
| 1221-66 | Clasica 4,0 mm - hg | / | / | <i>y</i> | | | | / | 10% | 1 | / | / | -/ | |
| 1221-00 | Clasica 4,0 mm - db | <i>\</i> | / | <i>y</i> | 8% | 10% | 14% | / | 10% | <i></i> | / | / | 1 | |
| 1221-59 | Clasica 3,0 mm - db | / | / | / | 0 /0 | 10 /0 | 1470 | <i>'</i> | 10% | 1 | / | / | 1 | |
| 1721-25 | Hm 2,7 mm - hg | <i>'</i> | / | <i>'</i> | | | | / | 10% | 1 | / | / | / | |
| 1721-26 | Hm 2,7 mm - db | 7 | / | <i>'</i> | 8% | 10% | 14% | / | 10% | 1 | 7 | / | 1 | |
| 1821-35 | Leganti 3,0 mm - hq | / | / | 1 | 070 | 1070 | 1470 | / | 10% | 1 | 1 | / | 1 | |
| 1821-66 | Leganti 4,0 mm - hg | 7 | / | / | | | | / | 10% | 1 | / | / | 1 | |
| 1821-28 | Leganti 3,0 mm - db | / | | <i>,</i> | 8% | 10% | 14% | · / | 10% | 1 | 1 | | <i>'</i> | |
| 1821-29 | Leganti 4,0 mm - db | / | / | 1 | 8% | 10% | 14% | / | 10% | · / | / | / | · / | |
| 2421-35 | Textura 3,0 mm - hg | √ | / | 1 | | | | √ | 10% | 1 | 1 | 1 | 1 | |
| 2421-28 | Textura 3,0 mm - db | 1 | 1 | 1 | 8% | 10% | 14% | 1 | 10% | 1 | 1 | 1 | 1 | |
| Stairtread syst | | | | | | | | | | | · | | | |
| 1121-68 | Cerama tread 4,0 mm - hg | √ | √ | √ | | | | ✓ | 10% | 1 | ✓ | ✓ | 1 | |
| 1421-68 | Deco tread 4,0 mm - hg | / | / | / | | | | / | 10% | 1 | 1 | 1 | 1 | |
| Special applica | ations | | | | | | | | | | | | | |
| 2217-16/17 | M2000 conductive plus 2,5 mm - db | ✓ | ✓ | ✓ | | 7% | 7% | ✓ | 10% | ✓ | ✓ | ✓ | ✓ | |
| 2217-29/30 | M2000 conductive plus 3,0 mm - db | 1 | 1 | 1 | | 7% | 7% | 1 | 10% | 1 | 1 | √ | 1 | |
| 2113-61 | Ecosport tx 4,0 mm - db | ✓ | / | ✓ | 14% | 9% | 16% | ✓ | 10% | 1 | 1 | ✓ | 1 | |
| 2113-79 | Ecosport tx 7,0 mm - db | / | / | / | 16% | 11% | 19% | ✓ | 10% | / | 1 | ✓ | / | |
| 2115-76/78 | Geo tx SE 7,0 mm - db | / | 1 | / | 16% | 11% | 19% | 1 | 10% | NA | 1 | ✓ | 1 | |
| 2113-76/78 | Ecosport tx SE 7,0 mm - db | 1 | 1 | ✓ | 16% | 11% | 19% | / | 10% | NA | 1 | / | 1 | |
| 2112-76/78 | Chronos tx SE 7,0 mm - db | 1 | 1 | 1 | 16% | 11% | 19% | 1 | 10% | NA | ✓ | ✓ | ✓ | |
| 2921-80 | Guia STOP 7,0 mm - hg | ✓ | 1 | ✓ | | | | / | 10% | ✓ | 1 | / | ✓ | |
| 3021-80 | Guia GO 7,0 mm - hg | 1 | 1 | 1 | | | | 1 | 10% | ✓ | ✓ | ✓ | ✓ | |
| 2821-80 | Guia ALT 7,0 mm - hg | ✓ | 1 | ✓ | | | | ✓ | 10% | ✓ | 1 | ✓ | ✓ | |

 $[\]checkmark$ Based on the 2009 LEED rating system and the overall scope of your project product may contribute to your LEED scorecard.

¹ Manufacturing site: Villa Madero, Buenos Aires, Argentina.
² The required adhesive may not be available in your area. Please contact us for information on this subject.