

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Indelval SAIC

Carabelas 1022 Villa Madero, Buenos Aires, B1768CMB, Argentina

For the following product(s):

Rubber:

Cerama, Chronos plus, Chronos tx, Clasica, Deco, Ecosport tx, Ecoval bus, Ecoval plus, Ecoval tx, Geo hm, Geo plus, Geo tx, Hm, Indelcol plus, Leganti, M2000 conductive plus, Motiva plus, Sustenta mt, Textura, Urbana mt, Viva hm

(Maximum Thickness 4.0 mm)

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-105 v4.2-2023

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-20167

Valid from: October 01, 2025 to September 30, 2026

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



A handwritten signature in black ink.

Diana Kirsanova Phillips, Chief Assurance Officer,
SCS Global Services